

T 12/1

The new Kärcher T 12/1 is a highly efficient and quiet vacuum cleaner. The unit has a convenient step-on switch for ease of operation and features two back wheels and two front castors for maximum manoeuvrability. All together a powerful and robust middle class dry vacuum cleaner.

Standard accessories:

- Suction hose 2.5 m
- Metal suction tube, 2 x 0.5 m
- Filter bag Fleece
- Washable nylon filter (main filter)
- Reversible floor nozzle 285 mm
- Container material Plastic
- Clip system for extension hose
- Protection class II

Order no.: 1.355-100.0



Technical data

Air flow rate (l/s)	61
Vacuum (mbar/kPa)	244/24.4
Container capacity (l)	12
Max. power rating (W)	max. 1300
Standard nominal width (mm)	32
Cable length (m)	12
Sound pressure level (dB(A))	61
Weight (kg)	6.6
Dimensions (L x W x H) (mm)	340x315x410

Details

Description

Standard equipped with a high effective fleece filter bag which allows an up to three times higher filter bag volume in contrast to a paper filter bag.

This is a benefit that pays for itself since the operating periods between filter bag changes are longer.

The T 12/1 motor performance, air flow and the 6-stage filter system (incl. microfilter as special option) have been designed in such a way that there is hardly any loss of suction power.

Its low centre of gravity provides stability. The power cable can be wind up in between the cable storage or onto a pull-out cable hook as a fast storage when often changing the location, e.g. cleaning objects in hotels, ect.

Special feature: the floor tool plugs into the accessory holder (on backside of the unit) and can be used as a complete accessory fixation after work.

The suction hose on the unit has a simple but effective plug-in clip system. You push the hose on to the unit's intake stub, a resilient ring engages – that's all. This system ensures that the suction hose does not become detached when the unit is pulled along behind the user.

The new clip system (change without tools) on the bend allows an easy extension of the suction hose of additional 2,5 m (extra extension suction hose - part number: 6.906-237.0) for e.g. cleaning steps, stairways, etc.

With the power brush ESB 28 (additional accessory) the T 12/1 converts into a brush-type vacuum cleaner.

In cases where the hygienic standards are particularly stringent, a HEPA filter which retains very fine particles (99.95% retention rate) can be fitted (instead the standard air exhaust filter) in addition to the paper filter bag.

Features & Benefits

Main filter basket

Large permanent main filter made from washable nylon for optimal dust separation. For use with or without filter bag.

Foot switch for added convenience

No need to bend down.

On-board cord storage

The 12 m power cord can be wound fully around the cord storage integrated in the turbine head.

Power outlet for ESB 28 electric brush

The ESB 28 electric suction brush can be easily adjusted to suit the particular cleaning task. This does not increase the noise level.

Extra-large container capacity

The T 12/1 has a large container capacity allowing long periods of uninterrupted use with low maintenance costs.

Accessories

Adapter (tube -> nozzle)

Adapter

From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners.

Order no. 6.902-083.0



All-purpose brushes

All-purpose brush, DN 32

All-purpose plastic brush Bristles: 120 x 45 mm. For all T and BV types.

Order no. 6.906-122.0



Combi-nozzles (dry)

Combination floor tool dry

Plastic combination floor tool (dry) with stainless steel base plate and rollers. With changeover function.

Order no. 6.906-696.0



Combination floor tool for parquet

Plastic combination floor tool for parquet (DN 32) with brush strips and two rollers, suitable for all industrial T vacuum cleaners. Combination floor tool without changeover function. 360 mm

Order no. 6.906-107.0



Combination floor tool dry

Plastic combination floor tool with plastic base plate and two rollers.

Order no. 6.906-812.0



Connecting sleeves

Adapter, ID 32/35, with internal thread

Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.

Order no. 6.902-077.0



Crevice nozzles

Crevice nozzle

Plastic crevice tool (DN 32) for industrial dry vacuum cleaners for vacuuming in crevices and corners.

Order no. 6.903-403.0



Electric brush

Brush-head ESB 34 – 230 V

ESB 34 with suction hose with integrated electric cable and telescopic suction tube.

Order no. 2.642-442.0



Electric brush – ESB 28

Electric brush with suction hose, power cord and telescopic suction tube. For better dirt pick up from textiles. Also suitable for flexible and hard surfaces. For T 201 and T 12/1.

Order no. 2.641-815.0



Exhaust air filter

Standard exhaust filter

Standard exhaust filter and diffusor for reducing filtered air. Made of foam.

Order no. 6.414-802.0



Motor protection filter felt

Order no. 6.414-611.0



Extension hoses (Clip-system)

Extension hose, C 32, C 35 clip system

Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.

Order no. 6.906-237.0



Extension hose C 32-, C 35-Clip-system, el.

for all C-32 and C-35 hoses, electrically conductive.

Order no. 6.906-277.0



Fabric filter bag

Fabric filter bag

Cotton filter bags, washable up to 40°C, suitable for T7/1, T 10/1 and T 12/1 models.

Order no. 6.904-316.0



Fleece filter bags (3 ply)

Fleece filter bags

Extremely tear-resistant, 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of conventional paper filter bags. Standard for T 10/1 and T 12/1.

Order no. 6.904-315.0



Fleece filter bags

Fleece filter bag, 3-ply, tear-proof, dust class M, large-scale consumer unit.

Order no. 6.904-321.0



HEPA filter for dust class H

HEPA filter cassette

HEPA filter cassette (paper/plastic) - H 12 - increases filter capacity and improves exhaust air. Optional (with Professional version as standard) filter instead of exhaust filter cassette.

Order no. 6.414-801.0



Main filter baskets

Permanent main filter basket

Main filter basket for T 15/1, T 12/1 and T 17/1 can be used as a main filter with or without filter bag. Nylon-plastic frame, washable up to 40°C.

Order no. 5.731-640.0



Main filter basket with reinforced fleece

Plastic frames with reinforced fleece material, washably to 40°C.

Order no. 4.731-011.0



Nozzle sets

Nozzle kit ID 32, for T vacuum cleaners with clip holder

Nozzle kit (DN 32) for all industrial dry vacuum cleaners, includes crevice tool, upholstery tool, round brush and clip holder.

Order no. 2.860-143.0



Paper filter (2 ply)

Paper filter bags

10 paper filter bags dust class M. Suitable for all T 12/1 models.

Order no. 6.904-312.0



Paper filter bags, bulk consumer pack

Dust class M



Paper filter (2 ply)

Order no. 6.904-318.0

Plastic bend

Plastic bend, C-ID 32

Plastic with C-32 clip system.

Order no. 4.408-051.0



Plastic bend

Electrically conductive plastic bend (DN 32) with C-32 clip system, reduces static buildup. Optional for BV 111, T 7/1, T 191, T 10/1, T 12/1, T 201/T201 + ESB 28.

Order no. 4.408-052.0



Comfort plastic bend, C-ID 32

Plastic bend (DN 32) with C-32 clip system with opening for adjusting the floor tool for high-pile or extremely dense textile coverings.

Order no. 4.440-865.0



Radiator brushes

Radiator brush

Radiator brush is suitable for crevice tool 6.903-403.0

Order no. 6.903-404.0



Repair kits

Repair set, C 32

Repair set (C32) includes threaded hose adapters for industrial T vacuum cleaners with clip system.

Order no. 2.639-739.0



Suction brushes

Suction brush

Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners.

Order no. 6.903-887.0



Suction hoses (Clip-system)

Suction hose, (clip system), C 32

2.5 m suction hose with dry vacuum cleaner connection, clip connection (C 32).

Order no. 4.440-911.0



Suction hoses complete (Clip-system)

Suction hose, complete (clip system), C-ID 32, 2.5 m

Improved quality: 2.5 m suction hose with dry vacuum cleaner connection, clip connection and bend (C-DN 32).

Order no. 4.440-907.0



Suction tubes metal

Suction tube

Metal suction tube (DN 32, length 0.5 m) with black plastic coating, suitable as an extension, e.g. vacuuming ceilings.

Order no. 6.906-618.0



Telescopic suction tube

Chromium-plated metal telescopic tube (DN 32, length: 0.61-1 m), suitable as an extension, e.g. vacuuming ceilings.

Order no. 6.903-524.0



Suction tubes stainless steel

Suction tube, DN 32

Stainless steel

Order no. 6.902-050.0



Turbo nozzle

Turbo nozzle

Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.

Order no. 2.860-113.0



Turbo nozzle, DN 32

Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.

Order no. 2.860-114.0



Authorized Distributor



Cleaning solutions for every need

A : 712 Ansal Chamber II, 6 , Bhikaji Cama Place, New Delhi -110066

T : 9311677446/9350735062

W : www.delta-solutions.in

E : contact@delta-solutions.in